1.0 01/01/2	016	Date of first issue: 01/01/2015

SECTION 1. IDENTIFICATION

Product name	: DECO 20 Clear Penetrating Sealer
Product code	: DPC207900
Manufacturer or supplier's de Company name of supplier	etails :DECO Products, Inc.
Address	:7900 east 40 th Ave.
Talanhana	Denver, CO 80207
relephone	303-316-4820
Emergency telephone	: 800-500-3326

Recommended use of the chemical and restrictions on use

Recommended use	: Sealing for new and existing concrete

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Skin corrosion	: Category 2
Serious eye damage	: Category 2
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H314 Might cause skin burns and eye damage. H318 Might cause eye damage.
Precautionary Statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. P363 Wash contaminated clothing before reuse. **Storage:** P405 Store locked up. **Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Mixture
---------------------	-----------

Chemical nature : Silicone resin solution

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Potassium Methylsilanetriolate	31795-24-1	>= 5 - < 50
Methanol	67-56-1	>= .015 - < 1

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel sick, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	 If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.

If swallowed	: If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control center immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: Can cause serious eye damage. Can cause severe burns. Can cause digestive tract burns.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	: Carbon oxides Silicon oxides Metal oxides Formaldehyde
Specific extinguishing meth- ods	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protect- :	Use personal protective equipment.
tive equipment and emer-	Follow safe handling advice and personal protective equip-
gency procedures	ment recommendations.
Environmental precautions :	Discharge into the environment must be avoided.

	Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national reguirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use with local exhaust ventilation.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe vapors or spray mist. Do not swallow. Do not get in eyes. Handle in accordance with good industrial hygiene and safety practice. Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	: Keep in properly labeled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents Organic peroxides Explosives

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type	Control parame-	Basis

		(Form of exposure)	ters / Permissible concentration	
Methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm	NIOSH REL
			260 mg/m3	
		ST	250 ppm	NIOSH REL
			325 mg/m3	
		TWA	200 ppm	OSHA Z-1
			260 mg/m3	

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Potassium Methylsilanetriolate	31795-24-1

Biological occupational exposure limits

Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Methanol	67-56-1	Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

Engineering measures

: Processing may form hazardous compounds (see section 10).

Minimize workplace exposure concentrations. Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection	: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Hand protection Material	: Rubber or plastic gloves
Remarks	: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often!

	For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	: Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear: Face-shield
Skin and body protection	 Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Hygiene measures	 Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions. For further information regarding the use of silicones / organic oils in consumer aerosol applications, please refer to the guidance document regarding the use of these type of materials in consumer aerosol applications that has been developed by the silicone industry (www.SEHSC.com) or contact the Dow Corning customer service group.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: colorless
Odor	: No data available
Odor Threshold	: No data available
рН	: 13
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: > 64 °C
Flash point	: > 100 °C Method: closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable

Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1.29
Solubility(ies) Water solubility	: No data available
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity Viscosity, kinematic	: 10 cSt
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.		
Chemical stability	: Stable under normal conditions.		
Possibility of hazardous reac- tions	 Use at elevated temperatures may form highly hazardous compounds. Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures. 		
Conditions to avoid	: None known.		
Incompatible materials	: Oxidizing agents Acids		
Hazardous decomposition products Thermal decomposition : Formaldehyde			

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Skin contact Ingestion Eye contact	of exposure		
Acute toxicity			
Not classified based on availab	ble information.		
Product:			
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method		
Acute inhalation toxicity	: Acute toxicity estimate : > 40 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method		
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method		
Ingredients:			
Potassium Methylsilanetriola Acute oral toxicity	ate: : LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity Remarks: Based on test data		
Methanol: Acute oral toxicity	: Acute toxicity estimate (Humans): 300 mg/kg Method: Expert judgment		
Acute inhalation toxicity	: Acute toxicity estimate (Humans): 3 mg/l Test atmosphere: vapor Method: Expert judgment		
Acute dermal toxicity	: Acute toxicity estimate (Humans): 300 mg/kg Method: Expert judgment		
Skin corrosion/irritation			
Causes severe burns.			
Ingredients: Potassium Methylsilanetriola	ate:		
Result: Corrosive after 3 minutes or less of exposure Remarks: Information taken from reference works and the literature.			

Methanol: Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Ingredients:

Potassium Methylsilanetriolate: Result: Irreversible effects on the eye Remarks: Expert judgment

Methanol:

Species: Rabbit Result: No eye irritation

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Ingredients:

Methanol:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Potassium Methylsilanetriolate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on test data
Genotoxicity in vitro	: Test Type: Mammalian erythrocyte micronucleus test (in vitro cytogenetic assay) Test species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Germ cell mutagenicity- Assessment	: Animal testing did not show any mutagenic effects.
Methanol: Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative

Genotoxicity in vitro	: Test Type: Mammalian erythrocyte micronucleus test (in vitro cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Result: negative
Carcinogenicity Not classified based on availa	ble information.
Ingredients:	
Methanol: Species: Mouse Application Route: inhalation Exposure time: 18 Months Method: OECD Test Guideline Result: negative	(vapor) e 453
IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity	
Not classified based on availa	ble information.
Ingredients:	
Potassium Methylsilanetriol	ate:
Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat, male and female Application Route: Ingestion Symptoms: No effects on fertility. Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat, male and female Application Route: Ingestion Symptoms: No effects on fetal development. Remarks: Based on data from similar materials
Reproductive toxicity - As sessment	: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.
Methanol:	
Effects on fertility	: Test Type: Fertility/early embryonic development

Species: Mouse Application Route: Ingestion Result: negative

Effects on fetal development : Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive Remarks: The effects were seen only at maternally toxic doses.

STOT-single exposure

Not classified based on available information.

Ingredients:

Methanol:

Target Organs: Eyes, Central nervous system Assessment: Causes damage to organs.

STOT-repeated exposure

Not classified based on available information.

Ingredients:

Potassium Methylsilanetriolate:

Routes of exposure: Ingestion Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Routes of exposure: inhalation (vapor) Assessment: No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

Repeated dose toxicity

Ingredients:

Potassium Methylsilanetriolate: Species: Rat

Application Route: Ingestion Remarks: Based on data from similar materials

Species: Rat Application Route: inhalation (vapor) Remarks: Based on data from similar materials

Methanol:

Species: Rat NOAEL: 1.06 mg/l Application Route: inhalation (vapor) Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity **Ingredients:** Potassium Methylsilanetriolate: Toxicity to bacteria : EC50: > 100 mg/l Method: OECD Test Guideline 209 Methanol: Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 15,400 mg/l Exposure time: 96 h Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l aquatic invertebrates Exposure time: 48 h : EC50 (Pseudokirchneriella subcapitata (green algae)): 22,000 Toxicity to algae mg/l Exposure time: 96 h Method: OPPTS 850.5400 Toxicity to fish (Chronic toxic : NOEC (Oryzias latipes (Orange-red killifish)): 15,800 mg/l Exposure time: 200 h ity) : EC50: 20,000 mg/l Toxicity to bacteria Exposure time: 15 h Persistence and degradability Ingredients: Methanol: Biodegradability : Result: Readily biodegradable. Biodegradation: 95 % Exposure time: 20 d **Bioaccumulative potential Ingredients:** Potassium Methylsilanetriolate: Partition coefficient: n-: log Pow: -2.36 octanol/water Methanol: Bioaccumulation : Species: Leuciscus idus (Golden orfe) Bioconcentration factor (BCF): < 10 Partition coefficient: n-: log Pow: -0.77 octanol/water

Mobility in soil No data available Other adverse effects No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residue:	Dispose of in accordance with all local, state, and federal regulations.
Contaminated packaging:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation	
UNRTDG	Not Regulated as Dangerous Goods

IATA-DGR

Not Regulated as Dangerous Goods

IMDG-Code

Not Regulated as Dangerous Goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied

Domestic regulation

49 CFR (172.101)	Not Regulated as Dangerous Goods
Marking:	None Required
Label:	None Required
Placard:	None Required

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Methanol	67-56-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Acute Health Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
US State Regulations	

Pennsylvania	Right To Know			
	Water	7732-18-5	50-96	%
	Potassium Methylsilanetriolate	31795-24-1	5-50	%
	Methanol	67-56-1	0.015 - 1	%
New Jersey Right To Know				
	Water	7732-18-5	50 - 96	%

Potassium Methanol	Methylsilanetriolate	31795-24-1 67-56-1	5 - 50 % 0.015 - 1 %
California Prop 65	WARNING: This prod state of California to c	duct contains a chemic ause birth defects or c	cal known in the other reproductive
Methanol	nam.	67-56-1	
The ingredients of this product are reported in the following inventories:			
NZIoC	: All ingredients listed or	exempt.	
REACH	: All ingredients (pre-) re	gistered or exempt.	
TSCA	: All chemical substance exempted from listing Substances.	s in this material are ir on the TSCA Inventor	ncluded on or y of Chemical
AICS	: All ingredients listed or	exempt.	
IECSC	: All ingredients listed or	exempt.	
ENCS/ISHL	: All components are list inventory listing.	ed on ENCS/ISHL or e	exempted from
KECI	: All ingredients listed, ex	xempt or notified.	
DSL	: All chemical substance 1999 and NSNR and Canadian Domestic S	s in this product comp are on or exempt from ubstances List (DSL).	ly with the CEPA listing on the
PICCS	: All ingredients listed or	exempt.	

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH ACGIH BEI	: USA. ACGIH Threshold Limit Values (TLV) : ACGIH - Biological Exposure Indices (BEI)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	: 8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Revision Date	: 01/01/16

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8